

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1166	(transform\$ translat\$) with xml with (documents items) with (xhtml \$3xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 14:29
L3	364	(transform\$ translat\$) with xml with (documents items) with (format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 14:29
L4	52	(transform\$ translat\$) with xml with (documents items) with (format)	USPAT; IBM_TDB	OR	ON	2006/01/12 14:32
L5	52	(transform\$ translat\$) with xml with (documents items) with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2006/01/12 14:32
L6	1	(transform\$ translat\$) with xml with ("items") with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2006/01/12 14:33
L7	10	(transform\$ translat\$) with xml with ("items") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:35
L8	651	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:47
L9	14	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:50
L10	14	(transform\$ translat\$ conver\$) with xml with (documents) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:55
L11	1	(transform\$ translat\$ conver\$) with xml with (component items) with (format) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:51
L12	4	(transform\$ translat\$ conver\$) with xml with (components) with (wbxml xhtml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 14:57
L13	125	(transform\$ translat\$ conver\$) with xml with (components) with (format)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 16:11
L14	1	"20050198042"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/01/12 16:11

L15	5	"6571253"	USPAT	OR	ON	2006/01/12 16:59
L16	3	((("6571253") or ("6463442") or ("6418446"))).PN.	USPAT	OR	OFF	2006/01/12 16:59
L17	12	("5706505" "6009436" "6085196" "6177936" "6279015" "6282547" "6330006" "6463442").PN. OR ("6571253").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 16:59
L18	4	("6571253").URPN.	USPAT	OR	ON	2006/01/12 16:59
L19	12	("6286010").PN. OR ("6418446").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 16:59
L20	7	("6463442").URPN.	USPAT	OR	ON	2006/01/12 16:59
L21	1	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L22	1	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L23	1	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L24	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L25	2	xml xslt compil\$ xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L26	152	xml xslt compil\$ xPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L27	6	xml xslt compil\$ xPath	USPAT	AND	ON	2006/01/12 16:59
L28	3	xml xslt compil\$ xPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L29	5	xml xslt compil\$ xPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L30	5	xml xslt compil\$ xPath\$ xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59

L31	2	((("6,256,678") or ("6,418.448") or ("6,209,124")).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/01/12 16:59
L32	7	((("20030074206") or ("20030051236") or ("6,256,678") or ("20020169679") or ("6,418,448") or ("6,209,124") or ("20030084120")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/01/12 16:59
L33	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L34	2127154	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L35	142	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2006/01/12 16:59
L36	120	action with frame with stack	USPAT	AND	ON	2006/01/12 16:59
L37	0	L36 and xml	USPAT	AND	ON	2006/01/12 16:59
L38	0	L35 and xml	USPAT	AND	ON	2006/01/12 16:59
L39	1	L35 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L40	348	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L41	1	L40 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L42	389	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59

L43	389	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L44	88	L43 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/12 16:59
L45	289	L43 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L46	73	L44 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L47	70	L46 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L48	36	L47 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L49	27	L48 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L50	20	L48 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L51	14	L49 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L52	13	L51 and quer\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L53	860	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L54	63	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L55	31	x with path with navigat\$	USPAT	OR	ON	2006/01/12 16:59
L56	6	xpath with navigat\$	USPAT	OR	ON	2006/01/12 16:59
L57	0	xpath with iterat\$	USPAT	OR	ON	2006/01/12 16:59
L58	16	xpath with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L59	3	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L60	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L61	8	xpathnavigator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L62	3	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L63	860	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L64	1	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L65	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L66	0	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L67	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L68	6	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L69	7	xpath near navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59

L70	9	xpath with node with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L71	0	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L72	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L73	47	xpath near document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L74	18	L73 and (data adj stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 16:59
L75	14	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/12 16:59
L76	7	L75 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L77	0	L75 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L78	0	(external with reference with resolv\$) and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59

L79	318	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L80	2	L79 same (style adj sheet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L81	0	L79 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L82	7	L75 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L83	3	L76 and L82	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L84	6	L76 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L85	3	L84 and L82	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L86	0	L75 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L87	142	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L88	0	L87 and L75	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L89	1	L87 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L90	12	L87 and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L91	1261	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L92	211	stack and xml and transform\$	USPAT	OR	ON	2006/01/12 16:59
L93	14	(stack with (frame action event)) and xml and transform\$	USPAT	OR	ON	2006/01/12 16:59
L94	10	basehoar.xa.	USPAT	OR	ON	2006/01/12 16:59
L95	635	campbell.xa.	USPAT	OR	ON	2006/01/12 16:59
L96	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2006/01/12 16:59
L97	6	campbell.xa. and joshua.xa.	USPAT	OR	ON	2006/01/12 16:59
L98	6	campbell.xa. and josh\$.xa.	USPAT	OR	ON	2006/01/12 16:59

L99	1081050	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L100	14182	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L101	335	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L102	73	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L103	72	L102 not microsoft.as.	USPAT	OR	ON	2006/01/12 16:59
L104	73	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2006/01/12 16:59
L105	251	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2006/01/12 16:59
L106	2691952	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2006/01/12 16:59
L107	38	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/01/12 16:59
L108	84	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/01/12 16:59
L109	0	L107 and L108	USPAT	OR	ON	2006/01/12 16:59
L110	0	L102 and L108	USPAT	OR	ON	2006/01/12 16:59
L111	0	L108 and (action adj frame adj stack)	USPAT	OR	ON	2006/01/12 16:59
L112	0	(action adj frame adj stack)	USPAT	OR	ON	2006/01/12 16:59
L113	38	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2006/01/12 16:59

L114	84	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2006/01/12 16:59
L115	0	L108 and L75	USPAT	OR	ON	2006/01/12 16:59
L116	0	L108 and xml	USPAT	OR	ON	2006/01/12 16:59
L117	0	L108 and xsl\$	USPAT	OR	ON	2006/01/12 16:59
L118	0	L108 and (style with sheet)	USPAT	OR	ON	2006/01/12 16:59
L119	75	L108 and compil\$	USPAT	OR	ON	2006/01/12 16:59
L120	6	L76 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L121	14	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/12 16:59
L122	2	L121 and (pattern near match\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L123	0	L121 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L124	8	L121 and (root)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L125	0	L121 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L126	0	L121 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L127	0	L121 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L128	10	L121 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
L129	0	L121 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59

L130	1	L121 and (compil\$ with action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/01/12 16:59
------	---	---------------------------------	--------------------------------	----	----	------------------